
Initial configuration Tizen 7 screen

The following operations must be carried out using the Samsung remote control


1 - Language selection

- Scroll down using the arrows and select “Français” using the OK button (located between the arrows). - Right arrow to move on to the next menu


Hi!
Merhaba!
Olá!
Pozdrav!
Salom!
Salut! (Română)


2 - Connecting to an internet network

The equipment can be connected either to a “wireless” network (Wifi) or to a wired network (RJ45) depending on your type of connection, select the option with the Ok button.




- If the screen is wired, it will perform a network status, if everything is ok, you will have to do

next with the right arrow.



- If the screen is connected via Wifi, select your Wifi network, then enter your password before


finishing. (The screen must be connected to a secure Wifi network). It will perform a network status, if everything is ok, you will have to do next with the right arrow.


Connexion sans fil
Sélectionnez votre réseau Wi-Fi.
ClickShare-1862498397
MANGANELLi
digiboard
iPhone de Phi
MANGANELLi Visiteurs
Rafraichir

- If you encounter any connection problems, please contact Manganelli support at 03.20.41.59.69.


3 - Smart Signage Privacy Notice

- Click on Ok and Right Arrow to go to the next menu



Précédent
1
2
3
Ignorer
Avis de confidentialité Smart Signage
Samsung Electronics Co., Ltd. et ses filiales respectent vos préoccupations relatives à la confidentialité de vos données. Le présent Avis de confidentialité s'applique aux informations personnelles que nous collectons au moyen du service Smart Signage.
Service Samsung : Conditions générales
Voir détails
Avis de confidentialité Smart Signage
Afficher les détails
Cet Avis de confidentialité s'applique à votre utilisation de Smart Signage et concerne la façon dont nous utilisons vos informations pour Smart Signage.
OK
Ignorer

4 - Type of installation

Select “Manual Configuration” with the OK button.


Précédent
Type d'installation
Sélectionnez le type d'installation pour votre périphérique.
Configuration manuelle
Suivez les instructions détaillées pour la configuration initiale.
Configuration sans intervention
La configuration sera gérée automatiquement par Tizen Business Manager (https://tbm.tizenenterprise.com/). Il est plus pratique d'initialiser plusieurs Signage.
Cloner le produit
Clonez les paramètres système entre un lecteur flash USB et votre périphérique. Vérifiez que le lecteur flash USB est connecté avant de tenter de cloner les paramètres système.

5 - Display orientation Depending on the installation of your equipment - Select portrait or landscape, confirm - Right arrow to go to the next menu



6 - Selecting the player

- Select “Custom application” with the Ok button



Then enter the URL of the zebrix server:

For the USA http://screen.zebrix.us

for Europe http://screen.zebrix.net

Then click on “Done”.



7 - Configuring the RM server

In the server address, enter: rm.manganelli.com:7001 then click on “Done” and the right arrow to move on to the next menu.


Précédent
1
2
3
Suivant
Connexion au serveur RM
Indiquez les informations du serveur pour gérer votre périphérique.
Sélectionnez Ignorer pour configurer ultérieurement.
Adresse serveur
127.0.0.1
TLS
Ne pas utiliser
Port
7001
Suivant
Ignorer

8 - Server peripherals


You don't have to do anything, just right arrow to skip the menu.


Précédent
1
2
3
Suivant
Périphérique sur serveur
Indiquez l'ID temporaire ou le code de groupe du périphérique pour trouver celui-ci sur la liste des périphériques sur le serveur.
Ignorez cette étape pour configurer le groupe de périphériques ultérieurement sur le serveur ou si le périphérique est déjà approuvé par le serveur.
ID temporaire
QM55C_9426
Code de groupe
Entrez le numéro
Suivant

9 - Switching off
Select “Off” then right arrow to go to the next menu



10 - Setting the date and time Use the arrows to update the screen and set the time, Caution: if the screen is not set correctly for the time and day, this could lead to problems with broadcasting on the screens. Right arrow to go to the next menu




*11 - Pim_* code You don't have to do anything, just right arrow to skip the menu.



Précédent
3
Ignorer
Déf. PIN
Créez un code PIN pour contrôler l'accès aux paramètres de sécurité.
Si vous ignorez cette configuration, le code PIN par défaut sera 000000.
Saisissez un nouveau code PIN.
Saisissez de nouveau le PIN.
Suivant

Congratulations, the screen configuration is complete!




Now all you have to do is launch the application by pressing “Home”. Go to the “Functions” tab and select “Custom APP


Favoris
Fonctions
Sources
Paramètres
Custom App
Workspace


Installer l'application personnalisée
L'installation est terminée. L'application Web va démarrer automatiquement.

Once the application is complete, the content will be broadcast. (If this is a configuration during an installation, the screen may need to be activated. Please contact support in this case.)


zebrix

From:
https://documentation.zebrix.net/ - **zebrix signage documentation**

Permanent link:
https://documentation.zebrix.net/doku.php?id=en:configuration_initiale_ecrans_tizen7&rev=1710428449

Last update: **2024/03/14 16:00**