Configuration of Microsoft 365 for Calendars access

You expect to display your meeting rooms planning on your screen running with zebrix signage ?

This guide explains how to register a new application in Microsoft 365 for use with calendar integrations in **zebrix signage**. You will create an app, add a client secret, and assign it the **Calendars.Read** application permission. Then, you'll share the required details to the zebrix technical team and finally a secret UUID will be returned to you to be used in the widget configuration.



Please note that a Microsoft 365 Global Admin account is required to complete this configuration



This tutorial is a straightforward approach that grants application-wide **permissions to all resources and users calendars**. It is the easiest to implement this, using only the Microsoft Entra Admin Center, making it suitable for quick setups. However, **restricting permissions to specific resources** by scoping them to groups is an approach that is **more secured and recommended**. It involves combining the Microsoft Entra Admin Center for initial setup with PowerShell commands to apply scoping that will not be covered in this tutorial.

1. Accessing App Registrations

- 1. Go to the Microsoft Entra admin center: https://entra.microsoft.com/
- 2. In the left menu, select "Applications" > "App registrations".
- 3. Click **"New registration"** at the top of the page.

Last update: 2025/06/16 en:m365_graphapi_calendars_read https://documentation.zebrix.net/doku.php?id=en:m365_graphapi_calendars_read&rev=1750089803 18:03

Microsoft Entra admin cen	nter		Copilot 🕻	1 @ @ A	
Home		Home > = = > Enterprise applications All applications > Browse Microsoft Entra Gallery >			
- Home		App registrations 👒			
What's new					
Diagnose & solve problem:	s	+ New registration 3 dipoints 🗶 Troubleshoot 🕐 Refresh 🞍 Download 🗟 Preview features	R Got feedback?		
Favorites	~	All applications Owned applications Deleted applications			
		P Start typing a display name or application (client) ID to filter these r			
Identity	^	10 and assign from t			
Overview		40 applications tound Display name 1	Application (client) ID	Created on ↑⊥	Certificates & secrets
Users	~	1 http://www.com/and/and/and/and/and/and/and/and/and/and			
Groups	~	<			
		4	and the second second second		
Devices	~	C5	A DESCRIPTION OF A DESC		1.1.1
Applications	^	a second a second s	and the state of the second		
Enterprise applications		A set of the set of			
App registrations 2		A REAL PROPERTY AND A REAL			
Protection	· ~		A REAL PROPERTY AND A REAL PROPERTY.		
Protection		25	and the second second		
Identity Governance	~		and the second sec	10.000	
External Identities	~	 Bill and a set information of a field from 	1000 BOD - 1000 BOD - 100		
Show more		2	and the second second	1000	
			a second second second		
Protection	^	HW I I I I I I I I I I I I I I I I I I I	and the second second	1,000	12.0
Identity Protection		• 5. Control 100	the state of the state of the	10.00	
Conditional Access		 Biomedia di 	and a second second second		
Authentication methods		NO			
warehousdon meutods		00	and the second second second		
Learn & support	^	00	ALCONTRACTOR A	1,000	1.1
		в	the second second second	1.00	

2. Registering the App

- 1. **Name**: Enter zebrix signage calendars connector (you are free to choose the name you want)
- 2. Supported account types: Choose "Accounts in this organizational directory only" (default).
- 3. Leave the **Redirect URI** empty.
- 4. Click "Register" to create the application.



3. Save details and create a Client Secret

- 1. Save the details that need to be provided to zebrix's technical team:
 - 1. Application (client) ID
 - 2. Directory (tenant) ID
- 2. Click on Add a certificate or secret.



- Add a description, for example zebrix connector secret.
- Set an appropriate expiration (24 months is recommended).

When the secret will expire, zebrix will not have access to your calendars anymore and display their details on screen.You'll have to create a new secret and provide it to zebrix.We invite you to create an event in your personal calendar at

Last update: 2025/06/16 en:m365_graphapi_calendars_read https://documentation.zebrix.net/doku.php?id=en:m365_graphapi_calendars_read&rev=1750089803 18:03

the end of the validity period of the secret.



• Click "Add" and copy the generated value and save it immediately. You will not be able to retrieve it again.

Microsoft Entra admin center	Search resources, services, and docs (G+/)	👩 Copilot 🔑 🐵 🕐 🖓 💷 📲			
 A Home → Zebrix sign → Zebrix s → Zebrix s 	nage calendars connector ignage calendars connector Certificates & secrets 🛷 …	×			
Diagnose & solve problems	<				
★ Favorites ✓	$\textcircled{\ } \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	×			
Identity Identity	ant Credentials enable confidential applications to identify themselves to the authentication ve problems scheme). For a higher level of assurance, we recommend using a certificate (instead of a	service when receiving tokens at a web addressable location (using an HTTPS client secret) as a credential.			
只 Users ✓ ☆ Groups ✓ ③ Authentication	erties f Application registration certificates, secrets and federated credentials can be found in the	he tabs below. $ imes$			
E Devices V 📍 Certificates & sec	Certificates (0) Client secrets (1) Federated credentials (0)				
Applications Applications Applications Applications	ion A secret string that the application uses to prove its identity when requesting a token.	A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.			
Enterprise applications Generation Expose an API	+ New client secret	•			
App registrations	Description Expires Value 🛈	1 Secret ID			
A Protection 🗸 🌽 Owners	zebrix 13/06/2027 [JMx8QEyl9ve	c62e0b99-f48e-4a			
Identity Governance	istrators				

4. Adding API Permissions

- 1. Go to "API permissions" in the left menu.
- 2. Click "Add a permission".
- 3. Select Microsoft Graph.
- 4. Choose Application permissions.

- 5. In the search bar, type Calendars.Read.
- 6. Check Calendars.Read under the Calendars section.
- 7. Click "Add permissions".
- 8. Back on the API permissions page, click "Grant admin consent" and confirm.



5. Provide details to zebrix's technical team and get your UUID

- Please provide to zebrix's technical team the following details:
 - Application (client) ID
 - Directory (tenant) ID
 - Secret value
- We recommend using a secured channel to provide these details to our team.
- A UUID will be returned to you by the zebrix's technical team. These UUID has to remain secret

Last update: 2025/06/16 en:m365_graphapi_calendars_read https://documentation.zebrix.net/doku.php?id=en:m365_graphapi_calendars_read&rev=1750089803 18:03

as it will give full access to all your resources and users calendars details.

6. Configure the widget

- Go to https://widgets.zebrix.net
- Choose the Microsoft 365 calendar widget that suits your needs
- Copy / Paste your UUID in the field
- Set the resource or user UPN (usually, the email address)
- Customize other options of the widgets
- Copy the generated URL and paster it in a web zone in the page editor.

Next Steps

Use the **Application (client) ID**, **Directory (tenant) ID**, and **Client secret** in your integration code to authenticate using the OAuth 2.0 client credentials flow.

From: https://documentation.zebrix.net/ - zebrix documentation

Permanent link: https://documentation.zebrix.net/doku.php?id=en:m365_graphapi_calendars_read&rev=1750089803

Last update: 2025/06/16 18:03