

# SSO implementation for zebrix

## What is Single Sign-On

Single sign-on (SSO) is a property of access control of multiple related, yet independent, software systems. With this property, a user logs in with a single ID and password to gain access to a connected system or systems without using different usernames or passwords, or in some configurations seamlessly sign on at each system. ([source: wikipedia](#))

## Benefits

Benefits of using single sign-on include:

- Mitigate risk for access to 3rd-party sites (user passwords not stored or managed externally)
- Reduce password fatigue from different user name and password combinations
- Reduce time spent re-entering passwords for the same identity
- Reduce IT costs due to lower number of IT help desk calls about passwords

SSO shares centralized authentication servers that all other applications and systems use for authentication purposes and combines this with techniques to ensure that users do not have to actively enter their credentials more than once.

([source: wikipedia](#))

## SSO implementation with zebrix

### Compatibility

zebrix has been tested with following authentication/SSO protocols/technologies:

- CAS
- OAuth
- SAMLv2
- ADFS
- Office 365 / Azure AD STS ([Please read this tutorial to know how to configure Azure AD for SSO with zebrix](#))

### How to enable SSO with zebrix

To enable the SSO authentication on your zebrix account, you'll have to ask to contact our support technical team. Please follow the these steps:

## 2. You have to integrate zebrix metadata in your authentication server

```
<EntityDescriptor entityID="https://auth.zebrix.net"
xmlns="urn:oasis:names:tc:SAML:2.0:metadata"
xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SPSSODescriptor
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
    <KeyDescriptor use="signing">
      <ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
        <ds:X509Data>
<ds:X509Certificate>MIICsDCCAZgCCQCGpnz8YkjkxDANBgkqhkiG9w0BAQUFADAaMRgwFgYD
VQDDA9h
dXR0LnplYnJpeC5uZXQwHhcNMTcwOTA1MTAzMjE2WhcNMjcwOTA1MTAzMjE2WjAa
MRgwFgYDVQDDA9hdXR0LnplYnJpeC5uZXQwggeiMA0GCSqGSIb3DQEBAQUAA4IB
DwAwggEKAoIBAQDJWm+DsyZ0tWyoPXetbNoFRsfXqs0vunXkZV5lCF0E3IrDGtxV
l+uLGY1R2d0Fy1SAVNdYjXQIHxPwSFRW3G80jHsrsZwfVHvcCxuySLqxTHXMaM6U
+W7XDiB8zuGTut3C47tPzGh9DLUXKqBRCPfnlp0tzSGLyD8ZQbsE4Rf0Acdk0sA1
tX0mi0jiFmy0G1Md/qaBsM4Rq5inAU6A/IBXgE18MWXJYNAIr0vc107IGzqfu2KB
gI7opKnxyowXxr192FJ8XizUEte8Q6v+nWS0VaMw/mLoXZGSIiNGtrwkp1TddGpI
0NYzoc8PUGczJtXGjTl0VbirFySnyzaajFklAgMBAAEwDQYJKoZIhvcNAQEFBQAD
ggEBALp4cUX5Geag79iQTYoxlbKPhzzSogRJ7ufLwW0EniC0jmjvxS5nkr2vcXRO
TQqWgpXnbTQWSxdz01prE6NQy9eLWjIgXpCCa+18RCPJvCykFsnKzKGTsQI+/9HF
5HeB6qEmtrzY2QT9Hn30Z4bRma2L60CYvwH0Zz05X0aRy0HFSIBGGfRNOU4iBMRp
Pkn+1p+EX07etvsDdZ1UnVg1kZQD6Br3hn3oAUvIctFrctThMd9hSh5GSx1U0hHv
7GfBWQ4Q4tYF0isPreeMgkuan+0x5j1pJwD3Ws2UDwl89lgACS96XmHtsHiwwJBb
I2NhPG6CSSWaSxiAHjyRZIHWP1s=</ds:X509Certificate>
        </ds:X509Data>
      </ds:KeyInfo>
    </KeyDescriptor>
    <SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-
Redirect" Location="https://auth.zebrix.net/sso/logout"/>
    <AssertionConsumerService
Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://auth.zebrix.net/sso/postResponse" index="0"/>
  </SPSSODescriptor>
</EntityDescriptor>
```

## 3. You have to send us your metadata file that we have to integrate in zebrix

## 4. Claims

Required claims are :

- UPN (mandatory)

- Name (Concatenation of first and last name) (recommended)
- e-mail address (recommended)

## How will user login to zebrix thanks to sso?

Users have to connect to <https://cmsv2.zebrix.net/cn/yourCompanyName>. zebrix server will communicate with your company's authentication server that will check if they are authenticated users. At this step, there are three possibilities:


- If a user is already logged on your domain and authorized to use zebrix he will directly be logged into zebrix.
- If a user is not authenticated on your domain yet , he will be redirected on the login page of your company and as soon as he get authenticated he will be automatically redirected to zebrix.
- In both previous cases, if the user is still unknown by zebrix, he will get an “User Awaiting for activation” message. In this case, an admin user must uncheck the “lock” checkbox in the user properties.

Please note that users can also be pre-activated by using the “Add SSO user” button. Existing zebrix regular user can also be converted into SSO user.

## How to enable SSO on an existing zebrix user

Only user known as SSO user will be able to log in via SSO. Here is how you can enable SSO on existing zebrix user.

Click on the convert button



The screenshot shows the 'Users' management page in the zebrix application. The page has a dark sidebar on the left with icons for users, a monitor, a document, and a download arrow. The main content area has a header with the 'zebrix' logo and 'MyCompany' name. Below the header is a 'FILTERS' section. The main table lists users with columns: Name, Username, Language, Email, Role, Tags, Type, and Actions. A user named 'John DOE' is listed with Username 'admin', Language 'en\_EN', Email 'none@none.com', and Role 'Admin'. In the 'Actions' column for this user, a button labeled 'Convert to SSO user' is highlighted with a mouse cursor. There is also a search bar in the top right of the table area.

Name	Username	Language	Email	Role	Tags	Type	Actions
John DOE	admin	en_EN	none@none.com	Admin			<b>Convert to SSO user</b>

Specify the UPN of the user as it will be received in claims

Convert to SSO user

Username

john.doe@mycompany.com

Cancel

Convert

## How to create new SSO users

Only user known as SSO user will be able to log in via SSO. Here is how you can declare SSO users in zebrix.

Create SSO user

Username	Role	Tags	Actions
<input type="text" value="john.doe@mycompany.com"/>	<div>Admin</div>	<div>BAKKERIJ / BOULANGERIE</div>	<div><div></div></div>
<input type="text" value="bob@mycompany.com"/>	<div>local shop</div>	<div>DRANKEN / BOISSONS</div>	<div><div></div></div>
<input type="text" value="alice@mycompany.com"/>	<div>Helpdesk</div>	<div>FR</div>	<div><div>Add Tag</div><div></div></div>
<div>+ Add Other User</div>			

Cancel

OK

Thanks to this pop-in window, you can create/declare one or many SSO users in one operation

## How to enable SSO on auto-added users

If a SSO user (unknown by zebrix) tries to access zebrix, it will automatically declared in zebrix as know SSO user but will be locked. It is required that an admin level user enable the account

## Edit user

User

Role




Full Name

John Doe

Username

john.doe@mycompany.com

Default language

☒  ☐  ☐ 

Email

john.doe@mycompany.com

Tags scope

NL x

Add Tag

☒ Lock account

← uncheck

Cancel

OK

From:  
<https://documentation.zebrix.net/> - **zebrix documentation**

Permanent link:  
[https://documentation.zebrix.net/doku.php?id=en:sso\\_implementation&rev=1723542962](https://documentation.zebrix.net/doku.php?id=en:sso_implementation&rev=1723542962)

Last update: **2024/08/13 11:56**

