

SSO implementation for zebrix

What is Single Sign-On

Single sign-on (SSO) is a property of access control of multiple related, yet independent, software systems. With this property, a user logs in with a single ID and password to gain access to a connected system or systems without using different usernames or passwords, or in some configurations seamlessly sign on at each system. ([source: wikipedia](#))

Benefits

Benefits of using single sign-on include:

- Mitigate risk for access to 3rd-party sites (user passwords not stored or managed externally)
- Reduce password fatigue from different user name and password combinations
- Reduce time spent re-entering passwords for the same identity
- Reduce IT costs due to lower number of IT help desk calls about passwords

SSO shares centralized authentication servers that all other applications and systems use for authentication purposes and combines this with techniques to ensure that users do not have to actively enter their credentials more than once.

([source: wikipedia](#))

SSO implementation with zebrix

Compatibility

zebrix has been tested with following authentication/SSO protocols/technologies:

- CAS
- OAuth
- SAMLv2
- ADFS
- Microsoft 365 / Azure AD STS ([Please read this tutorial to know how to configure Azure AD for SSO with zebrix](#))

How to enable SSO with zebrix

To enable the SSO authentication on your zebrix account, please follow these steps:

1. You have to integrate zebrix metadata in your authentication portal

Please create the “zebrix” application in your authentication portal. If you're using Microsoft 365, [please follow this technical guide](#).

Here is the zebrix's metadata you'll need to use :

```
<EntityDescriptor entityID="https://auth.zebrix.net"
xmlns="urn:oasis:names:tc:SAML:2.0:metadata"
xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SPSSODescriptor
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
    <KeyDescriptor use="signing">
      <ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
        <ds:X509Data>
<ds:X509Certificate>MIICsDCCAZgCCQCGpnz8YkjxkDANBgkqhkiG9w0BAQUFADAaMRgwFgYD
VQDDA9h
dXRoLnplYnJpeC5uZXQwHhcNMTCwOTA1MTAzMjE2WhcNMjcwOTA1MTAzMjE2WjAa
MRgwFgYDVQDDA9hdXRoLnplYnJpeC5uZXQwggEiMA0GCSqGSIb3DQEBAQUAA4IB
DwAwggEKAoIBAQDJWm+DsyZ0tWyoPXetbNoFRsfxqs0vunXkZV5lCF0E3IrDGtxV
l+uLGY1R2d0Fy1SAVNdYjXQIHxPwSFRW3G80jHsrsZwfVHvcCxuySLqxTHXMaM6U
+W7XDiB8zuGTut3C47tPzGh9DLUXKqBRCpfnlp0tzSGLyD8ZQbsE4Rf0Acdk0sA1
tX0mi0jiFmy0G1Md/qaBsM4Rq5inAU6A/IBXgE18MWXJYNAIr0vc107IGzqfu2KB
gI7opKnxyowXxr192FJ8XizUEte8Q6v+nWS0VaMw/mLoXZGSIiNGtrwkp1TddGpI
0NYzoc8PUGczJtXGjTl0VbirFySnyzaajFklAgMBAAEwDQYJKoZIhvcNAQEFBQAD
ggEBALp4cUX5Geag79iQTYoxlbKPhzzSogRJ7ufLwW0EniC0jmjvxS5nkr2vcXR0
TQqWgpXnbTQWSxdz01prE6NQy9eLWjIgXpCCa+18RCPJvCykFsnKzKGTsQI+/9HF
5HeB6qEmtrzY2QT9Hn30Z4bRma2L60CYvwH0Zz05X0aRy0HFSIBGGfRNOU4iBMRp
Pkn+lp+EX07etvsDdZ1UnVg1kZQD6Br3hn3oAUvIctFrctThMd9hSh5GSx1U0hHv
7GfBWQ4Q4tYF0isPreeMgkuan+0x5jlpJwD3Ws2UDwl89lgACS96XmHtsHiwwJBb
I2NhPG6CSSWaSxiAHjyRZIHWPls=</ds:X509Certificate>
        </ds:X509Data>
      </ds:KeyInfo>
    </KeyDescriptor>
    <SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-
Redirect" Location="https://auth.zebrix.net/sso/logout"/>
    <AssertionConsumerService
Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://auth.zebrix.net/sso/postResponse" index="0"/>
  </SPSSODescriptor>
</EntityDescriptor>
```

2. Configure claims properly

Required claims are :

- UPN (mandatory)
 - Name (Concatenation of first and last name) (recommended)
 - e-mail address (recommended)

3. Please contact our support team to request SSO activation at support@zebrix.net

- Please mention your zebrix account name (client name)
- Please attach your metadata XML or give the public URL to access it

4. Our technical team confirms SSO activation

When the configuration has been implemented on our side, you'll receive a confirmation from our technical team and you can login to zebrix using SSO.

How will user login to zebrix thanks to sso?

Users have to connect to <https://cmsv2.zebrix.net/cn/yourCompanyName>. zebrix server will communicate with your company's authentication server that will check if they are authenticated users. At this step, there are three possibilities:

- If a user is already logged on your domain and authorized to use zebrix he will directly be logged into zebrix.
- If a user is not authenticated on your domain yet , he will be redirected on the login page of your company and as soon as he get authenticated he will be automatically redirected to zebrix.
- In both previous cases, if the user is still unknown by zebrix, he will get an "User Awaiting for activation" message. In this case, an admin user must uncheck the "lock" checkbox in the user properties.

Please note that users can also be pre-activated by using the "Add SSO user" button. Existing zebrix regular user can also be converted into SSO user.

How to enable SSO on an existing zebrix user

Only user known as SSO user will be able to log in via SSO. Here is how you can enable SSO on existing zebrix user.

Click on the convert button

Users

zebrix

MyCompany

FILTERS

Search

| | Name | Username | Language | Email | Role | Tags | Type | Actions |
|--|----------|----------|----------|---------------|-------|------|---------------------|--|
| | John DOE | admin | en_EN | none@none.com | Admin | | Convert to SSO user | <div><div></div><div></div><div></div></div> |

Specify the UPN of the user as it will be received in claims

Convert to SSO user

Username

john.doe@mycompany.com

Cancel

Convert

How to create new SSO users

Only user known as SSO user will be able to log in via SSO. Here is how you can declare SSO users in zebrix.

Create SSO user

| Username | Role | Tags | Actions |
|---|-----------------------|-----------------------------------|---|
| <input type="text" value="john.doe@mycompany.com"/> | <div>Admin</div> | <div>BAKKERIJ / BOULANGERIE</div> | <div><div></div><div></div></div> |
| <input type="text" value="bob@mycompany.com"/> | <div>local shop</div> | <div>DRANKEN / BOISSONS</div> | <div><div></div><div></div></div> |
| <input type="text" value="alice@mycompany.com"/> | <div>Helpdesk</div> | <div>FR</div> | <div><div></div><div>Add Tag</div><div></div></div> |

Add Other User

Cancel

OK

Thanks to this pop-in window, you can create/declare one or many SSO users in one operation

How to enable SSO on auto-added users

If a SSO user (unknown by zebrix) tries to access zebrix, it will automatically declared in zebrix as know SSO user but will be locked. It is required that an admin level user enable the account

Edit user

User

Role




Full Name

John Doe

Username

john.doe@mycompany.com

Default language

☒  ☐  ☐ 

Email

john.doe@mycompany.com

Tags scope

NL ×

Add Tag

☒ Lock account

← uncheck

Cancel

OK

From:
<https://documentation.zebrix.net/> - **zebrix documentation**

Permanent link:
https://documentation.zebrix.net/doku.php?id=en:sso_implementation&rev=1723543510

Last update: **2024/08/13 12:05**

