

# \*\* SSSP SCREEN INITIAL SETUP \*\*

This guide will allow you to perform the initial setup of an SSSP Screen, you can perform those steps after a factory reset.



Step 1 : Choose your language

## Step 2 : Choose your screen orientation



## Step 3 : Disable the Auto Power Off




**Step 4 : Choose the network adapter, if a RJ45 Network wire is connected, the screen will perform a network diagnostic. \*\*The Screen need to be connected to Internet to reach Zebrix.\*\***



**Step 6 (step 5 is skipped if you are connected to the internet) : define this option to 'URL Launcher'**

you will need to use this URL : <http://screenv2.zebrix.net> , then press "Done"



**Step 7 : Your screen is correctly configured. Pressing "OK" will send you to the "Home" Menu, from wich you can start Zebrix. Press OK**

Your screen should now appear on Zebrix, you can now manage it via the CMS.

From: <https://documentation.zebrix.net/> - **zebrix documentation**

Permanent link: [https://documentation.zebrix.net/doku.php?id=en:sssp\\_screen\\_-\\_initial\\_setup&rev=1593616983](https://documentation.zebrix.net/doku.php?id=en:sssp_screen_-_initial_setup&rev=1593616983)

Last update: **2020/07/01 17:23**

