

Introduction

What is a variable content zone ?

A page containing a variable content zone will be able to change its content according to the tags of the screens who's displaying this page.

For example, a welcome page containing a text zone with variable content could display :

- « **Welcome to our New York store** » if the screen have the tag [New York]
- « **Welcome to our Tokyo store** » if the screen have the tag [Tokyo]
- « **Welcome** » on non-tagged or tagged screens in another city for where no content has been defined.

In this example, a "Sites" tag family was used as a reference. It is therefore depending on the tag of this family applied on a screen that the content will change.

Why using variable content zone : leave it to a local user


To use the above example, a user with limited rights who is himself tagged *Tokyo* will have the right to edit the content of the variable content zone (as long as it has been defined as "editable by the user" by the administrator).

Some other examples of possible uses :

- Change the price of a product, depending on the store or price category to which that store belongs.
- Display / not display an image/text on a page depending on what a store offers or does not offer a specific service.
- Make a multilingual page displaying texts in the language of the screen on which it is displayed.


How to use this feature ?

Let's see how to set up the example below, we have a fictional customer using three families of tags to classify its screens, media, content and users.




First Step : Create the page

Let's start by designing a welcome page. The first steps in creating this page do not change from the usual creation of a page. In this example, we have chosen a background color and created a text area to host the variable welcome message.




Second step: Specify that the text box is "variable content"

In the "General zone properties" section of the text zone, let's change the "Content source" parameter to "Variable content (based on tags)".




It is then necessary to specify the tag family according to which the content of this field will be variable.

In our example, we would like to change the welcome message depending on the store. It is therefore the "Localisation" tag family that will be used as a reference to change the welcome message on the welcome page. We therefore specify "Localisation" in the drop-down list.




Third Step : Entering content into the variable zone


Within the “zone content” section, it is now possible to choose from a drop-down list for which tag (for which site) you wish to introduce content



You can define the different desired values in turn. We have just done “New York”, we can now customize the message for “Tokyo”.






The default value is the value that will be displayed in the text box on a screen that is not tagged or that is tagged from a site for which you have not defined any content.



The image shows a user interface for editing a content zone. On the left, a light blue rectangular zone contains the text 'Welcome'. A red arrow points from the 'Default Value' dropdown in the configuration panel to the text in the zone. The configuration panel on the right is titled 'GENERAL ZONE PROPERTIES' and 'ZONE CONTENT'. Under 'ZONE CONTENT', there is a 'See data from:' section with a dropdown menu set to 'Default Value' and a 'Reset' button. Below this is a 'Limit number of elements:' checkbox and a vertical slider. The 'Type your text' section has a text input field containing 'Welcome', an 'Add a text' button, and a rich text editor toolbar with icons for bold, italic, underline, strikethrough, and list. A preview area below the toolbar shows the rendered text 'Welcome'.

Results on screens

| New York | Tokyo | Default |
|--|---|--|
|  |  |  |

Autres types de zone

Dans notre exemple, nous avons utilisé une zone de type texte, mais tous les autres types de zone supportent également le contenu variable (image, vidéo, etc.)

Plusieurs zones a contenu variable sur une même page

Il est tout à fait possible de placer plusieurs zones à contenu variable sur une même page et ce que ces zones utilisent la même famille de tag de référence ou non.


Guide Pratique : comment donner la main à un rédacteur local ?

Maintenant que chacun de nos sites est en mesure d'obtenir un contenu différent dans la zone de

texte de bienvenue, voyons comment donner la main à un utilisateur local pour personnaliser son message au sein de la zone à contenu variable que nous avons créée.

Définir les zones éditables et les zones non-éditables

Dans notre exemple, la page de bienvenue ne compte qu'une seule zone de texte. Cette zone est d'ores et déjà modifiable par les utilisateurs dans la mesure où c'est l'option par défaut. Si notre page contenait d'autres zones dont certaines ne devaient pas pouvoir être modifiables par les utilisateurs, il suffit de décocher la case « **Éditable par les utilisateurs** » dans le volet « **Propriétés Générales de la zone** ».



PROPRIÉTÉS GÉNÉRALES DE LA ZONE

Nom de la zone sélectionnée :

texte de bienvenue

Sélectionner le type de zone

Texte ▼

Source de contenu :

Contenu variable (en fonction des tags) ▼

Famille de tags :

Sites ▼

Éditable par les utilisateurs

Création d'un utilisateur à droit limités

Nous allons créer un « utilisateur à droit limités » restreint au site « Paris » afin que celui-ci puisse personnaliser le message de bienvenue pour son site.

- Rubrique « Utilisateurs »
- Bouton « + »
- Remplir le formulaire, en spécifiant qu'il s'agit d'un « utilisateur aux droits limités » (Limited User)




Créer un utilisateur

Utilisateur

Nom complet

Nom utilisateur

Rôle

Langage par défaut   

Email

Nouveau mot de passe Aidez-moi à [générer](#) un bon mot de passe.

- Taguer le site « Paris » sur l'utilisateur

| Nom | Nom utilisateur | Langage | Email | Rôle | Tags |
|------------------|-----------------|---------|------------------------------|--------------|-------|
| Sébastien DUPONT | sebastien-du... | fr_FR | s.dupont@magasins-zebrix.com | Limited User | Paris |

Résultat obtenu par l'utilisateur

L'utilisateur est en mesure de modifier le texte de la zone variable et ce uniquement pour le site « Paris » (seule valeur disponible dans la liste déroulante).



ZONES ÉDITABLES

texte de bienvenue

CONTENU DE LA ZONE

Voir les données de :

Paris Reset
Paris re texte

Bienvenue dansnotr... ✎ ✕

+ Ajouter une chaine de texte

B U ☰

Bienvenue dans
notre magasin
Parisien

From:
<https://documentation.zebrix.net/> - zebrix signage documentation

Permanent link:
<https://documentation.zebrix.net/doku.php?id=en:tagbased&rev=1585328710>

Last update: 2020/06/22 11:53

