

How to connect a SAMSUNG Tizen screen to zebrix?

Please connect the screen to the network

Your screen has to be connected to internet to be managed with zebrix. You can either connect with a network cable or via wifi.

If you choose to use wired connectivity, please connect the screen to your local network before starting the screen.



If the access to internet is limited by a firewall please make your network fulfills [the prerequisites](#).

Turn the screen on

The configuration wizard starts and display a welcome screen. At this step you can choose the language you want to use.



Please select the screen orientation

Please select the screen orientation you want to use.

Please note that this setting can be changed "on-the-fly" by zebrix depending which orientation you define via zebrix CMS. If unsure, select LANDSCAPE.



Disable the "Auto Power Off" feature

The screen is set by default to power off after 4 hours. Please disable this feature or your screen will turn off automatically and it will be not possible to power it on remotely from zebrix.



Set the network configuration

You may first have to choose between “Wired Network” and “Wireless”.

Wireless

If you choose wireless, the screen will show a list of available wireless networks. Please select your network and enter the key if require.

Please note that wireless network with captive portal will not work. You must add the mac address of the screen to your white list to avoid having to validate the access on the captive portal.

DHCP

As soon the screen detects a connection (wired or wireless), it will check the access to local network and to internet.



If the access to internet is limited by a firewall and the access is only allow to zebrix server IP, this network check will fail (this is a normal behavior and you can skip this check safely)

Static IP

If you need to set static IP settings, you'll have to cancel the network check (with the STOP button) and use the “IP Settings” button that will appear.

You can skip the clock/date step

Date/time settings will be automatically set from zebrix server. So you can safely skip this step (right arrow button on the remote control).



Select "URL Launcher" play mode

Please select the "URL Launcher" and press "enter".



Then enter the URL of the zebrix server (depending on your location):

| | |
|--------|---|
| USA | http://screen.zebrix.us |
| Europe | http://screenv2.zebrix.net |



You can safely connect your screen to zebrix using http protocol. However if you want to display confidential information on your screen you can use https instead of http just by replacing http by https in the URL

Skip the device name step

You can skip the device name step. This name is not use in zebrix. You will be able to define a name in zebrix.



Configuration is complete



Check the firmware version



if the installed firmware is too old, the display will not work properly with zebrix. The firmware should be at least 2000 (minimum, 2003 recommended)

Here is the procedure to check the firmware version:

With the remote control: MENU > Support > Contact Samsung > version will appear on the right and should be at least 2000.

If the firmware is too old, please upgrade your screen to a recent firmware before going to the next step, [here is the procedure to download and upgrade](#).

Start the URL Launcher

Press the HOME button on the remote control and select URL Launcher



The zebrix app will be downloaded and started

Activate your screen

If everything went fine the following activation page will be displayed.



Please send the screen ID to support@zebrix.us (USA) or support@zebrix.net (Europe).

The screen will be associated to your zebrix account within a few hours.



As soon as you see the confirmation message, you can manage your screen from zebrix CMS

From:
<https://documentation.zebrix.net/> - **zebrix documentation**

Permanent link:
<https://documentation.zebrix.net/doku.php?id=en:tizenconfigurationwizard&rev=1498415204>

Last update: **2020/06/22 11:53**

